

Cable tray warning line



Summary of Content

Cable trays carrying conductors over 600 volts must display permanent, legible warning signs stating “DANGER — HIGH VOLTAGE — KEEP AWAY” at intervals not exceeding 3 meters (10 feet).

Regulatory Requirements

According to the National Electrical Code (NEC) 2014, any cable tray containing conductors rated over 600 volts must have a permanent, legible warning notice with the wording “DANGER — HIGH VOLTAGE — KEEP AWAY” placed in a readily visible position on all cable trays. The spacing of these warning notices must not exceed 3 meters (10 feet) along the tray length. The markings must comply with NEC section 110.21(B) for durability and legibility. An exception exists for industrial installations where only qualified personnel have access; in such cases, warning signs should be placed where necessary to ensure safe maintenance and operation .

Placement and Visibility

- Readily visible locations: Signs should be positioned so that anyone approaching the cable tray can easily see the warning.
- Consistent spacing: Maximum spacing between signs is 3 meters (10 feet) to ensure continuous awareness along the tray.
- Permanent and durable: Signs must withstand environmental conditions and remain legible over time, including exposure to heat, moisture, or mechanical wear .

Types of Cable Trays and Signage

Article Content

Electrical Identification Labels

Common types of labels include circuit identification labels, which indicate the specific circuits within the panel, and warning labels

Cable Tray Technical Guide A practical guide to product selection and ...

Cable Tray Technical Guide A practical guide to product selection and installation This guide for engineers and installers has been

NEMA Standards Publication VE 2-2006

In order to install the cable tray supports, first find the required elevation from the floor to the bottom of the cable tray and establish a

Practices for grounding and bonding of cable trays

Grounding and bonding of cable trays There are three wiring options for providing an EGC in a cable tray wiring

Tray Installations

Tray Installations The placement of cables, ducts, and conduits can be done using cable trays – for both outside plant (OSP) and

Prevent Fire and Electric Hazards When Cable Trays Used

If not designed and installed properly, wiring inside cable trays may pose hazards such as

CABLE TRAYS GENERAL INFORMATION AND INSTALLATION

In order to install the cable tray supports, first find the required elevation from the floor to the bottom of the cable tray and establish a

Explaining NEC Article 392 on Cable Trays

NEC Article 392 explains cable trays, their components, appropriate wiring methods for

B-Line series Cable Tray Design Considerations

As an industry leader in cable tray, Eaton offers one of the widest ranges of cable management solutions available in the market

Technical Guidelines for Cable Tray Installation and

1. Route Planning and Layout Principles Coordinate with Building Structure: Cable tray routing should align

NEMA BI 50016-2024

Foreword 267 For cable tray installers: NEMA BI-50016-2024 (hereinafter referred to as NEMA BI-50016) is intended 268 as a

MS-215 Cable Tray Markers | Marking Services Incorporated

Product Comparisons MS-215 Cable Tray Markers MS-478 Cable Tray Markers MS-900 Cable Tray Markers Base Material Semi

Cable Tray Technical Guide A practical guide to product selection and ...

Cable tray installed in a hazardous location must contain only those cables that are appropriate for this type of environment as

Cable Tray | EAE Electric | Medium & heavy duty cable trays

General Information Cable Trays General Information EAE cable trays and ladders provide high-strength cable protection that

Overhead Obstruction Electrical Cable Tray Sign With

Yellow OVERHEAD OBSTRUCTION ELECTRICAL CABLE TRAY Sign with Symbol on Aluminum, Plastic

392.18 (H) Cable Trays. Marking.

Cable trays containing conductors rated over 600 volts shall have a permanent, legible warning notice carrying the wording

Cable Tray Installation Rules (NEC 392) - Electrical Trader

All metallic cable trays must be grounded as outlined in NEC Article 250.96, even if the tray isn't being used as an

Stainless Steel Ladder Tray Signage | Ladder Trays | Cable Tray and ...

Stainless safety signs and labels help identify cable trays clearly; additional warning signage available from Cablofil. Explore options

Cablofil Cable Management | Legrand

Build a cable management system with Cablofil wire mesh cable tray, ladder cable tray, prefab assemblies for branch circuit wiring,

Cable tray manual

Instead of large conduits, cable channel may be used very effectively to support cable drops from the cable tray run to the equipment

26 05 36 Cable Trays for Electrical Systems

Eaton B-Line series Engineer-approved equal METAL CABLE TRAYS Description: This product category covers metal cable trays

Overhead Obstruction Electrical Cable Tray Sign With

This easy-to-read Electrical Warning sign with bold text and graphic symbol

26 05 36 Cable Trays for Electrical Systems

Description: This product category covers metal cable trays and metal cable tray systems intended for field assembly and for use in

High voltage? You need warning labels.

Safety is the number one priority when it comes to industrial electrical equipment. Cable tray is no different. NEC code

CABLE TRAY SYSTEMS GUIDE

Cable Tray Systems Guide HUBBELL Hubbell Wiring Device-Kellems and Hubbell Premise Wiring are divisions of Hubbell

Understanding Cable Tray Safety Hazards: A Detailed Guide

Learn about common cable tray safety hazards and how to prevent risks such as cable damage, electrical short

Cable tray

In the electrical wiring of buildings, a cable tray system is used to support insulated electrical cables used for power distribution,

How to Prevent Fire and Electric Hazards in Cable Tray Systems: A ...

A cable tray that passes vertically through the floor in a straight line performs the same function as the chimney in a

392.18 (H) Cable Trays. Marking.

2011 Code language: 392.18 (H) Marking. Cable trays containing conductors rated over 600 volts shall have a permanent, legible

Contact Us

For more information, pricing, or custom solutions, please contact us:

Website: <https://benniedesignstudio.co.za>

Email: sales@benniedesignstudio.co.za

Phone: +27 82 391 4765

Address: The Towers, 1 St Georges Mall, Cape Town, 8001, South Africa

This document is for informational purposes only. Specifications subject to change without notice.

