

Layer 3 switch with dual power supplies and 24 optical ports



Overview

PLANET GS-6322-24P4X Fully-managed 802.3bt PoE++ Switch with dual modular power supply slots expandability promotes power management efficiency and flexibility in large-scale networks, such as enterprises, hotels, shopping malls, government buildings, and other public areas. It supports rich PoE. The DXS-3400 Series switches feature a modular fan and power supply design for a high availability architecture. Physical and virtual switch stacking allow the switches to be managed from. Optimizes critical services with QoS, traffic shaping, multicast support, and ISM VLAN for enhanced efficiency 24 PoE ports support up to 60 W each, with a 790 W budget expandable to 1440 W—ideal for 10G PoE devices Two hot-swappable power modules enable 1+1 redundancy and load sharing for. 24-Port Gigabit Ethernet Layer3 Managed Access Switch TOP-S3230P-28TX features with hot-swappable dual redundant power modules, ensuring 99% power supply stability. It supports VLAN segmentation and port mirroring for simplified management and maintenance, and also supports LACP (link aggregation). The GS-6322-24P4X is a managed 802.10 Gigabit high-bandwidth uplinks, good for long-distance transmission. It can be used as aggregation device in small and medium-sized campus networks.



Article Content

GS-6322-24P4X L3 24-Port 10/100/1000T 802.3bt PoE + 2-Port

The GS-6322-24P4X features built-in hardware-based L2 and L3 switching engine along with 24 10/100/1000BASE-T ports, 2

24-Port Layer 3 Stackable 10 Gigabit Fiber Managed Switch

The DXS-3400 Series switches feature a modular fan and power supply design for a high availability architecture. The hot-swappable

GS-6322-24P4X

The GS-6322-24P4X is designed with two extractive power module slots to support Redundant Power Supply (RPS) mode or

All-Optical 24-Port SFP Network Switch Layer3 Managed network switch

Layer3 managed network switch TOP-S3230-28SX, features with All-Optical Ports and Redundant Dual PSU Modules hot

GS-6311-24PL4X

Resilient PoE, 10Gbps and Layer 3 Routing Solution for Enterprise Networking. PLANET GS-6311-24PL4X is an ideal plug-and-play

Omada 24-Port Gigabit Stackable L3 Managed Switch with 4 10G Slots

Omada SG6428X is a high-performance L3 managed switch tailored for the convergence layer, featuring L3 routing, fast 10 Gbps

24-Port 10G Layer 3 Stackable Aggregation Managed

Enables Layer 3 routing between different parts of your network, improving

All-Optical 24-Port SFP Network Switch Layer3

Layer3 managed network switch TOP-S3230-28SX, features with All-Optical

IKS-G6824A Series

The IKS-G6824A Series is equipped with 24 Gigabit Ethernet ports, and support Layer 3 routing functionality to facilitate the

Layer3 Gigabit access switches with Dual redundant PSU

Toputel Gigabit Access Switches TOP-S3230-28SX features with Redundant Dual PSU Modules Hot-swappable. It is Layer3

24-Port 10G Layer 3 Stackable Aggregation Managed PoE Switch

Enables Layer 3 routing between different parts of your network, improving efficiency by directing traffic to its optimal destination.

GS-5220-24PL4XR L3 24-Port 10/100/1000T 802.3at PoE + 4-Port

PLANET GS-5220 24-port 802.3at PoE+ Layer 3 Managed Switch supports both IPv4 and IPv6 protocols, and hardware Layer 3

Contact Us

For more information, pricing, or custom solutions, please contact us:

Website: <https://benniedesignstudio.co.za>

Email: sales@benniedesignstudio.co.za

Phone: +27 82 391 4765

Address: The Towers, 1 St Georges Mall, Cape Town, 8001, South Africa

This document is for informational purposes only. Specifications subject to change without notice.

