

Maximum transmission distance of 155M optical module



Overview

This high-performance optical module supports transmission distances of up to 200km over single-mode fiber, making it ideal for long-reach applications. Despite the dominance of Gigabit and 10G optics, 155M SFP modules are still actively purchased today —not as legacy leftovers, but as deliberate, cost-efficient. The system also can disable the module via I2C. Tx Fault is provided to indicate that degradation of the laser. The system can also get the LOS (or Link)/D. Optcore's OSP155-312DxR is a small form-factor pluggable (SFP) transceiver module for duplex optical data communications such as Fast Ethernet and SDH/SONET OC-3/STM-1. Get expert guidance from the. Description: Elevate your network's backbone with our professional-grade 155M SFP optical transceiver.

Article Content

155M SFP Optical Duplex Transceivers

Elevate your network's backbone with our professional-grade 155M SFP optical transceiver. Engineered for reliable, high-speed data

155M Duplex 120KM SFP SM 1550nm | Carritech Optics

The 155Mbps SFP Optical Transceiver is a high-performance module capable of transmitting optical signals over distances of up to

Sfp 155m Tx1310 Rx1550 40km Lc Transceiver

Description The SFP-BIDI transceivers are high performance, cost effective modules supporting dual data-rate of 155Mbps and 40km

155Mbps 1310nm 2km SFP Transceiver Module

This SFP module provides a 2km transmission distance over multi-mode fiber at a nominal wavelength of 1310nm. The transmitter

155M Optical Transceiver

Yeslinc's 155M SFP transceiver is a compact, hot-swappable optical transceiver designed for telecom and data communication

155Mbps 1310nm 2km SFP Transceiver Module

This SFP module provides a 2km transmission distance over multi

155M SFP Transceiver Module: Specs, Types & Buying Guide

Multi-mode 155M SFP modules typically operate at 850nm and are designed for short-reach optical links.

155M SFP Optical Transceiver 40KM Reach Features

Data-rate of 155Mbps operation 18 CWDM DFB wavelengths laser and PIN photodetector for 40km transmission Compliant with SFP

100BASE-FX SFP Transceiver | 2km MMF

Supporting 2km transmission over multimode fiber at 1310nm wavelength, this dual-rate 100/155M SFP module provides 14 dB link

100M/155M SFP 1310nm 2km Optical Transceiver

The SFP transceivers are high performance, cost effective modules supporting 155Mbps data-rate and 2km transmission distance

SO-SFP-155M-L2D

SO-SFP-155M-L2D is a 1310nm SFP transceiver for MultiMode (MM) fiber for 155 Mbps SDH/SONET (STM-1/OC-3) and 100M Fast

Contact Us

For more information, pricing, or custom solutions, please contact us:

Website: <https://benniedesignstudio.co.za>

Email: sales@benniedesignstudio.co.za

Phone: +27 82 391 4765

Address: The Towers, 1 St Georges Mall, Cape Town, 8001, South Africa

This document is for informational purposes only. Specifications subject to change without notice.

