

Reasons for the Closure of High and Low Voltage Complete Equipment Companies



Summary of Content

Closures of high and low voltage equipment companies are driven by a combination of technical obsolescence, equipment failure risks, economic pressures, regulatory challenges, and market competition.

Technical Obsolescence and Equipment Reliability

One of the primary reasons for closures is equipment obsolescence. Low-voltage switchboards and high-voltage components can become unreliable when parts reach the end of their life and are no longer replaceable, leading to potential production shutdowns, safety hazards, and increased maintenance costs. For example, midlife failures in HV bushings or on-line tap changers in transformers can result in sudden catastrophic failures, which not only damage equipment but also pose serious safety risks to personnel and surrounding infrastructure. As equipment ages, spare parts become scarce, repair costs rise, and response times lengthen, making continued operation economically unviable.

Economic and Market Pressures



Article Content

Demystifying the Enigma of Company Closures

Company closures can often seem like a complex and daunting process, with numerous factors leading to the

Maintenance of your Low-Voltage switchboard: Why and how?

The 3 issues below are the most common when Low-Voltage switchboard maintenance is not optimal: production

Siemens Successfully Closes Sale of Low Voltage Motors Business to ...

Siemens has closed the sale of its Low Voltage Motors and Geared Motors businesses, including the related

Transformer, breaker backlogs persist, despite reshoring progress

Manufacturers have been slow to invest in U.S. capacity amid uncertainty over long-term electricity demand. That's

Understanding The Reasons For Business Closure

It is important to note that these reasons for business closure are not exhaustive, and each situation is unique. By understanding

US power companies scramble to secure equipment as surging data

July 9 (Reuters) - Skyrocketing demand from artificial intelligence data centers is exacerbating shortages of critical grid equipment

The most common failure modes of electrical equipment in ...

When first installed, a piece of equipment can fail due to poor manufacturing, damage during shipping, or improper

Why Do Businesses Close Down? Insights from Michael Osland

Businesses close down for varied reasons. The intention to close the company might be because there is a lack of

Failure cases of LV/MV electrical equipment and what should have

Solutions frequently make an effort to balance the competing demands of upholding high availability and reliability

Why Do Businesses Close Down? Insights from Michael Osland

Manufacturers have been slow to invest in U.S. capacity amid uncertainty over long-term electricity demand. That's

Why anticipate your Low Voltage equipment obsolescence?

Anticipating the obsolescence of your parts protects you from a large number of important risks that including shut

Contact Us

For more information, pricing, or custom solutions, please contact us:

Website: <https://benniedesignstudio.co.za>

Email: sales@benniedesignstudio.co.za

Phone: +27 82 391 4765

Address: The Towers, 1 St Georges Mall, Cape Town, 8001, South Africa

This document is for informational purposes only. Specifications subject to change without notice.

